



# Your Reliable Partner For Innovative Packing Machinery

Trusted for over 37 Years in delivering  
world-class packaging solutions.



**Perfect Fusion of Italian Technology & Indian Skills**

Swedish Snus/Nicotine/Caffeine/Pouch Packing Machine

# About Us

With **37+ years of expertise and over 10200 machines** installed worldwide, SidSam Group stands as a trusted leader in automated packing solutions. Powered by Italian technology and precision, we are proud to be among the global leaders in nicotine pouch packing lines.

## Our Specializations:-

Automatic lines for swedish snus, nicotine, caffeine, tobacco, CBD and shisha products.

Multilane machines for powders, granules, and liquids.

High-speed cigarette maker & packing machines for diverse applications.

Engineered for efficiency, accuracy, and international compliance, our machines are trusted across **8000+ installations in the USA**, Canada, Europe, Middle East, and Africa.

## Industries We Serve



### Tobacco & Snus

Core expertise in snus portioning Swedish Snus / Nicotine / Caffeine automated packing.



### Food & Beverages

Advanced packaging systems for snacks, dairy, beverages, confectionery, and ready-to-eat products.



### Healthcare & Personal Care


Innovative packaging for pharmaceuticals, supplements, cosmetics, and personal wellness products.



### Turnkey Projects

End-to-end tobacco and snus plant solutions, from processing to fully automated production lines.

# NICOTINE / CAFFEINE / TOBACCO SNUS PACKING LINE



1	Can Elevator	5	Capping Machine
2A	Snus Packing Machine	6	Labelling Machine
3	Indexing Table	7	L Sealer & Shrink Tunnel
4	Cap Elevator	8	Connecting Conveyor

## Product Output



## TECHNICAL SPECIFICATION

Production Capacity (Speed )	Upto 300 Pouches / Min / Machine (Extendable upto 6 Machine)
Bag Size Standard	(W - 12,14,18) (L - 30 min - 36 max)
Volume Range	0.4 gm to 0.8 gm (Adjustable)
Type of Film	Non-Woven Filter Paper Roll (Max 400 mm Dia)
Sealing Type	Heat Seal
Packing Material	Dry & Wet Tobacco, Dry Nicotine & White Powder
Air Consumption	30-60 CFM @ 6 Bar Pressure
Power Consumption	35-55 KW
Voltage Supply Standard	415v - 50 Hz, 3 Phase
Dimension in Mtr	12.5 x 4.5 x 3 (LxWxH)
Weight	4000 KG - 9000 KGs (6 Pouch Maker)


## Optional - Snus Packing Line

- Check Weigher with Metal Detector
- Inkjet Printer
- Centralized Control Panel with PLC/HMI
- Turn Table (Buffer table)

## Optional - Nicotine Line

- Ribbon Blender
- Liquid Mixture
- Vibro Sifter Machine

# MULTILANE SNUS PACKING WITH ULTRASONIC SEALING



1 Material Hopper

2 Feeders

3 Formers

4 Touch Screen HMI

5 Ultrasonic Sealing

## Product Output




## TECHNICAL SPECIFICATION

Production Capacity (Speed )	140-160 Pouches / Min
Bag Size Standard	W- 14mm (single setting only) x L- 28mm - 35 mm (Roll width - 136mm)
Volume Range	0.4 gm to 0.6 gm
Type of Film	Non-Woven Fabric, GSM - 20
Sealing Type	UltraSonic
Packing Material	Dry Nicotine Powder
Air Consumption	8 CFM @ 6 Bar Pressure
Power Consumption	3.5 KW
Voltage Supply Standard	380v-415v - 50 Hz, 3 Phase
Dimension in Mtr	1.12 x 1.35 x 2.1 ( LxWxH )
Weight	680 Kgs




# ROTARY PICK FILL SEAL MACHINE WITH SERVO SNUS



1	Material Hopper
2	Paper Roll
3A	Touch Screen HMI
4	Snus Packing Machine

5	Connecting Coveyor
6	Rotary Pick Fill Seal Machine
7	Power Panel

## Product Output



## TECHNICAL SPECIFICATION

Production Capacity (Speed )	Upto 300 Pouches / min of Snus Machine / Outer sachet output speed as per required pouches to fill
Dimension of Pouch in mm	80-130 x 100-400 (W x H)
No. of Pouches to Fill	Adjustable as required
Type of Pouches	Self standing Bag, Zipper Bag
Sealing Type	Heat Sealable / 3 Side & 4 Side
Packing Material	Nicotine Pouches and Tabacoo Pouches
Air Consumption	10 CFM @ 6 Bar Pressure
Power Consumption	10.5 KW
Voltage Supply Standard	380v-415v - 50 Hz, 3 Phase
Dimension in Mtr	4.8 x 4.5 x 2.2 ( LxWxH )
Weight	2800 Kgs

# AUTOMATIC PRE ROLL MACHINE



- 1 Material Hopper
- 2 Power Panel
- 3 Touch Screen
- 4 Twisting Assembly

5 Output Port


## Product Output




## TECHNICAL SPECIFICATION

Production Capacity ( Speed )	40 Cones / Min
Bag Size Standard	15mm x 109 mm ( WxH )
Volume Range	Upto 2 gm
Type of Film	Premade Paper Cones
Sealing Type	Twist
Packing Material	Cannabis, CBD
Air Consumption	10 CFM @ 6 Bar Pressure
Power Consumption	3.5 KW
Voltage Supply Standard	220v - 50 Hz, Single Phase
Dimension in Mtr	1.5 x 1.5 x 1.8 ( LxWxH )
Weight	250 Kgs

# CIGARETTE MAKER & PACKING MACHINES



- 1 HLP
- 2 Tax Stamper
- 3 Cellophane Wrapper
- 4 Boxer
- 5 Over Wrapper




- 1 Tobacco Hopper
- 2 Rod Formation
- 3 Rod Cutting
- 4 Filter Hopper
- 5 Cigarette Cutting
- 6 Catcher Assembly


## TECHNICAL SPECIFICATION

Mark 8 Speed per minute	2200 - 2500 cigarettes
Production Capacity	Upto 120 packet/min
Cigarette Dimension	84mm/64 mm - 7.9mm
Control System	Siemens PLC
Compressed Air Needs	95 CFM / 6bar
Packet Size (External)	(L×W×H)87.5×56×23.5 mm
Machine Weight	10000 Kg (Approx)
Power Supply	440 V-3P / 48 KW / 50HZ
Area Dimension in Mtr (LxWxH)	18x7x3.7

## Product Output



# AUTOMATIC SHISHA MOLASES PACKING LINE



1	Dozer
2	Pouch Packing Machine
3	Cartoning machine (small box)
4	Connecting Conveyor

5	Cellophane wrapper
6	Box packaging machine (Boxer)
7	Over-Wrapper

## TECHNICAL SPECIFICATION


Production Capacity ( Speed )	80 - 100 Pouches / Min
Bag Size Standard	90mm x 50mm x 30 mm ( LxWxH )
Volume Range	25gm - 100gm
Type of Film	Cellophane
Sealing Type	Heat Sealable & Glue Seal
Packing Material	Shisha Molases
Air Consumption	25 CFM @ 6 Bar Pressure
Power Consumption	35 KW
Voltage Supply Standard	440v - 50 Hz , 3 Phase
Dimension in Mtr	18 x 15 x 3.5 ( LxWxH )
Weight	8000 Kgs

### Product Output





# AUTOMATIC SOLUTION FOR SNUS IN ZIPPER POUCH PACKING



1	Hopper	5	Horizontal Form Fill Seal Machine (Duplex)
2	Over-Head Material Feeder	6	Connecting Conveyor
3	12 Vibratory Bowl For Counting	7	Check weigher Metal Detector
4	Bucket Elevator		


## TECHNICAL SPECIFICATION

Production Capacity ( Speed )	120 Pouches / Min
Bag Size Standard	80mm - 90mm x 100mm - 110mm
Volume Range	5 - 10 Pouch
Type of Film	Laminate
Sealing Type	Heat Sealable / Zipper
Packing Material	Nicotine & Tobacco Pouches in Zipper Pack
Air Consumption	60 CFM @ 6 Bar Pressure
Power Consumption	25 KW
Voltage Supply Standard	440v - 50 Hz , 3 Phase
Dimension in Mtr	17 x 7 x 2.5 ( LxWxH )
Weight	13000 Kgs

### Product Output



# AUTOMATIC HIGH-SPEED ROTARY SACHET FILLING & SEALING MACHINE




1	Roll Assembly	5	Perforator
2	Auto Splicer	6	Batch Cutter
3	Paper Feeder	7	Touch Screen (HMI)
4	Material Hopper & Disk		

## TECHNICAL SPECIFICATION

Production Capacity ( Speed )	2000 - 3400 Pouches / Min
Bag Size Standard	50mm - 120mm
Volume Range	1 gm - 5 gm
Type of Film	Laminate
Sealing Type	Heat Sealable / 3 Side & 4 Side
Packing Material	Granules Type
Air Consumption	30 CFM @ 6 Bar Pressure
Power Consumption	28 KW - 45 KW
Voltage Supply Standard	440v - 50 Hz , 3 Phase
Dimension in Mtr	5.5 x 3 x 2.5 ( LxWxH )
Weight	18000 Kgs

## Product Output



# CLIENTS



# CERTIFICATES





— Get in —  
**Touch!**

**SidSam Formilan Machines Pvt. Ltd.**  
(An ISO 9001 : 2015 Certified Co.)

**REGISTERED OFFICE**

14/7, Mile Stone, Mathura Road,  
Faridabad, 121003,  
Haryana (INDIA)

**HEAD OFFICE & WORKS**

Shed no. 1, Wazirpur Road, near-  
Parshuram chowk, Sector 87,  
Faridabad, Haryana 121014  
(INDIA)

**CONTACT US**

+ 91 98999 92456 | +91 98119 86899  
sunjay@sidsamgroup.com  
info@sidsamgroup.com  
www.sidsamgroup.com

The pouches shown in photographs are meant to indicate applications of machines. All brands are not necessarily made by our customers. Due to continuous R&D and upgradation, appearance and specification of machine are subject to change without any notice. The accessories shown in the pictures may not be a part of standard equipment.